SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT: Rasmussen, Grethe Mikkelsen, Jan Moller Schulein, Martin Patkar, Shankant A.

Hagen, Fred

- (ii) TITLE OF INVENTION: A Cellulase Preparation Comprising an Endoglucanase Enzyme
- (iii) NUMBER OF SEQUENCES: 33
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Novo Nordisk of North America, Inc.
 - (B) STREET: 405 Lexington Avenue, 64th Floor
 - (C) CITY: New York
 - (D) STATE: New York
 - (E) COUNTRY: United States of America
 - (F) ZIP: 10174-6401

(v) COMPUTER READABLE FORM:

- (A) MEDIUM TYPE: Floppy disk
- (B) COMPUTER: IBM PC compatible
- (C) OPERATING SYSTEM: PC-DOS/MS-DOS
- (D) SOFTWARE: PatentIn Release #1.0, Version #1.30

(vi) CURRENT APPLICATION DATA:

- (A) APPLICATION NUMBER: US 08/389,423
- (B) FILING DATE: 14-FEB-1995
- (C) CLASSIFICATION:

(viii) ATTORNEY/AGENT INFORMATION:

- (A) NAME: Lambiris, Elias J.
- (B) REGISTRATION NUMBER: 33,728
- (C) REFERENCE/DOCKET NUMBER: 3469.214-US

(ix) TELECOMMUNICATION INFORMATION:

- (A) TELEPHONE: 212-867-0123
- (B) TELEFAX: 212-878-9655

(2) INFORMATION FOR SEQ ID NO:1:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1060 base pairs

 - (B) TYPE: nucleic acid(C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

- (iii) HYPOTHETICAL: NO
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Humicola insolens
 - (B) STRAIN: DSM 1800

(ix) FEATURE:

- (A) NAME/KEY: mat peptide
- (B) LOCATION: 73..924
- (ix) FEATURE:
 - (A) NAME/KEY: sig peptide

(B) LOCATION: 10..72

(ix) FEATURE:

(A) NAME/KEY: CDS
(B) LOCATION: 10..924

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

| | | C TCC CCC C c Ser Pro L | | | la Val Va | | 48 |
|-----------------------------------|-------------------------------|-----------------------------------|---------------------------|---------------------------|---------------------------|---------------------------|-----|
| GCC CTG CCG Ala Leu Pro | | | | | | | 96 |
| TGG GAC TGC Trp Asp Cys | | | | | | | 144 |
| AAC CAG CCT Asn Gln Pro 25 | GTC TTT T Val Phe S | TCC TGC AAC Ser Cys Asn 30 | GCC AAC Ala Asn | TTC CAG Phe Gln 35 | CGT ATC Arg Ile | ACG GAC Thr Asp 40 | 192 |
| TTC GAC GCC Phe Asp Ala | | | | | | | 240 |
| GCC GAC CAG Ala Asp Gln | | | | | | | 288 |
| GCT GCC ACC Ala Ala Thr 75 | Ser Ile A | | | | | | 336 |
| TGC TAC GAG Cys Tyr Glu 90 | CTC ACC T Leu Thr F | TTC ACA TCC Phe Thr Ser 95 | GGT CCT Gly Pro | GTT GCT Val Ala 100 | GGC AAG Gly Lys | AAG ATG Lys Met | 384 |
| GTC GTC CAG Val Val Gln 105 | Ser Thr S | AGC ACT GGC Ser Thr Gly .10 | GGT GAT Gly Asp | CTT GGC Leu Gly 115 | AGC AAC Ser Asn | CAC TTC His Phe 120 | 432 |
| GAT CTC AAC Asp Leu Asn | ATC CCC G Ile Pro G 125 | GGC GGC GGC | GTC GGC Val Gly 130 | ATC TTC Ile Phe | GAC GGA Asp Gly | TGC ACT Cys Thr 135 | 480 |
| CCC CAG TTC Pro Gln Phe | GGC GGT C Gly Gly I 140 | CTG CCC GGC Leu Pro Gly | CAG CGC Gln Arg 145 | TAC GGC Tyr Gly | GGC ATC Gly Ile 150 | TCG TCC Ser Ser | 528 |
| CGC AAC GAG Arg Asn Glu 155 | Cys Asp A | CGG TTC CCC Arg Phe Pro 160 | GAC GCC Asp Ala | CTC AAG Leu Lys | CCC GGC Pro Gly 165 | TGC TAC Cys Tyr | 576 |
| TGG CGC TTC Trp Arg Phe 170 | GAC TGG T Asp Trp F | TTC AAG AAC Phe Lys Asn 175 | GCC GAC Ala Asp | AAT CCG Asn Pro 180 | AGC TTC Ser Phe | AGC TTC Ser Phe | 624 |
| CGT CAG GTC Arg Gln Val 185 | Gln Cys F | CCA GCC GAG Pro Ala Glu .90 | CTC GTC Leu Val | GCT CGC Ala Arg 195 | ACC GGA Thr Gly | TGC CGC Cys Arg 200 | 672 |
| CGC AAC GAC Arg Asn Asp | | | | | | | 720 |

| | | | | | AAC Asn | | | | | | | | | | | 76 |
|------|------------|-------|-------|-------|-------------------|-------|------|---------------|-------|------|-------|------|------|-------|-------|-----|
| | | | | | CCG Pro | | | | | | | | | | | 81 |
| | | | | | GCT Ala | | | | | | | | | | | 86 |
| | | | | | GGC Gly 270 | | | | | | | | | | | 91 |
| _ | CAG Gln | | - | TAGA | ACGCA | AGG G | CAGO | CTTG <i>I</i> | AG GC | CCTI | TACTO | GTC | GCC | GCAA | | 96 |
| CGA | ATGA | ACA C | TCCC | CAATO | CA CI | GTAT | TAGI | TCI | TGT | ACAT | AATT | TCGT | CA 1 | rccci | CCAGG | 102 |
| GATI | GTCA | CA I | 'AAA' | GCAF | AT GA | AGGAA | CAAT | GAG | TAC | | | | | | | 106 |

(2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 305 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met Arg Ser Ser Pro Leu Leu Pro Ser Ala Val Val Ala Ala Leu Pro -21 -20 -15 -10

Val Leu Ala Leu Ala Ala Asp Gly Arg Ser Thr Arg Tyr Trp Asp Cys
-5 1 5 10

Cys Lys Pro Ser Cys Gly Trp Ala Lys Lys Ala Pro Val Asn Gln Pro 15 20 25

Val Phe Ser Cys Asn Ala Asn Phe Gln Arg Ile Thr Asp Phe Asp Ala 30 35 40

Lys Ser Gly Cys Glu Pro Gly Gly Val Ala Tyr Ser Cys Ala Asp Gln 45 50 55

Thr Pro Trp Ala Val Asn Asp Asp Phe Ala Leu Gly Phe Ala Ala Thr 60 65 70 75

Ser Ile Ala Gly Ser Asn Glu Ala Gly Trp Cys Cys Ala Cys Tyr Glu 80 85 90

Leu Thr Phe Thr Ser Gly Pro Val Ala Gly Lys Lys Met Val Val Gln 95 100 105

Ser Thr Ser Thr Gly Gly Asp Leu Gly Ser Asn His Phe Asp Leu Asn 110 115 120

Ile Pro Gly Gly Gly Val Gly Ile Phe Asp Gly Cys Thr Pro Gln Phe 125 130 135

Gly Gly Leu Pro Gly Gln Arg Tyr Gly Gly Ile Ser Ser Arg Asn Glu Cys Asp Arg Phe Pro Asp Ala Leu Lys Pro Gly Cys Tyr Trp Arg Phe 160 165 170 Asp Trp Phe Lys Asn Ala Asp Asn Pro Ser Phe Ser Phe Arg Gln Val Gln Cys Pro Ala Glu Leu Val Ala Arg Thr Gly Cys Arg Arg Asn Asp 195 Asp Gly Asn Phe Pro Ala Val Gln Ile Pro Ser Ser Ser Thr Ser Ser Pro Val Asn Gln Pro Thr Ser Thr Ser Thr Ser Thr Ser Thr Thr Ser Ser Pro Pro Val Gln Pro Thr Thr Pro Ser Gly Cys Thr Ala Glu 245 Arg Trp Ala Gln Cys Gly Gly Asn Gly Trp Ser Gly Cys Thr Thr Cys Val Ala Gly Ser Thr Cys Thr Lys Ile Asn Asp Trp Tyr His Gln Cys 275 280 Leu (2) INFORMATION FOR SEQ ID NO:3: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1473 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO

(ix) FEATURE:

(vi) ORIGINAL SOURCE:

(A) NAME/KEY: CDS

(B) LOCATION: 97..1224

(B) STRAIN: DSM 2672

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

(A) ORGANISM: Fusarium oxysporum

GAATTCGCGG CCGCTCATTC ACTTCATTCA TTCTTTAGAA TTACATACAC TCTCTTTCAA 60

AACAGTCACT CTTTAAACAA AACAACTTTT GCAACA ATG CGA TCT TAC ACT CTT Met Arg Ser Tyr Thr Leu

1 5

CTC GCC CTG GCC GGC CCT CTC GCC GTG AGT GCT GCT TCT GGA AGC GGT Leu Ala Leu Ala Gly Pro Leu Ala Val Ser Ala Ala Ser Gly Ser Gly

10 15 20

| | | TGG Trp | | | | | | 210 |
|--|--|-------------------|--|--|--|--|--|-----|
| | | AAC Asn | | | | | | 258 |
| | | ACC Thr 60 | | | | | | 306 |
| | | ACC Thr | | | | | | 354 |
| | | GCT Ala | | | | | | 402 |
| | | TGC Cys | | | | | | 450 |
| | | ATC Ile | | | | | | 498 |
| | | GAT Asp 140 | | | | | | 546 |
| | | TCT Ser | | | | | | 594 |
| | | TCC Ser | | | | | | 642 |
| | | CAC His | | | | | | 690 |
| | | TTT Phe | | | | | | 738 |
| | | AAG Lys 220 | | | | | | 786 |
| | | GCC Ala | | | | | | 834 |
| | | GCT Ala | | | | | | 882 |
| | | CAG Gln | | | | | | 930 |
| | | GCC Ala | | | | | | 978 |



| | | | | | | AAG Lys | | | | | | | | | | 1026 |
|------|------------|-------|-------|-------|----------|-------------------|-------|---------------|-------|------|-------|-------|------|-------|------------|------|
| | | | | | | GGA Gly | | | | | | | | | | 1074 |
| | | | | | | | | | | | | | | | CAG Gln | 1122 |
| | | | | | | GCT Ala | | | | | | | | | GCT Ala | 1170 |
| | | | | | | AAG Lys 365 | | | | | | | | | GTC Val | 1218 |
| | AAC Asn | TAA | ATGGT | TAG A | ATCCF | ATCGG | T TO | STGG <i>I</i> | AAGAG | ACT | TATGO | CGTC | TCAG | SAAGO | GGA | 1274 |
| TCCT | CTC | ATG F | GCAG | GCTI | G TO | CATTO | TATA | A GC | ATGGC | CATC | CTGG | BACCA | AG I | GTTC | CGACCC | 1334 |
| TTGT | TGTA | ACA I | AGT | TATO | т тс | CATTO | TAT | A TAT | TTAG | ACA | CATA | GATA | GC C | CTCTT | GTCAG | 1394 |
| CGA | CAACI | GG C | TACA | AAAA | A CI | TGGC | :AGGC | TTC | TTC | ATA | TTGA | CACA | GT I | TCCI | CCATA | 1454 |
| AAA | AAAA | AA A | AAAA | AAAA | A | | | | | | | | | | | 1473 |

(2) INFORMATION FOR SEQ ID NO:4:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 376 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Met Arg Ser Tyr Thr Leu Leu Ala Leu Ala Gly Pro Leu Ala Val Ser

Ala Ala Ser Gly Ser Gly His Ser Thr Arg Tyr Trp Asp Cys Cys Lys

Pro Ser Cys Ser Trp Ser Gly Lys Ala Ala Val Asn Ala Pro Ala Leu 35 40

Thr Cys Asp Lys Asn Asp Asn Pro Ile Ser Asn Thr Asn Ala Val Asn 50 55 60

Gly Cys Glu Gly Gly Gly Ser Ala Tyr Ala Cys Thr Asn Tyr Ser Pro 65 70 75 80

Trp Ala Val Asn Asp Glu Leu Ala Tyr Gly Phe Ala Ala Thr Lys Ile $$90\$

Ser Gly Gly Ser Glu Ala Ser Trp Cys Cys Ala Cys Tyr Ala Leu Thr 100 105 110

Phe Thr Thr Gly Pro Val Lys Gly Lys Lys Met Ile Val Gln Ser Thr 115 120 125

Asn Thr Gly Gly Asp Leu Gly Asp Asn His Phe Asp Leu Met Met Pro 135 Gly Gly Val Gly Ile Phe Asp Gly Cys Thr Ser Glu Phe Gly Lys Ala Leu Gly Gly Ala Gln Tyr Gly Gly Ile Ser Ser Arg Ser Glu Cys Asp Ser Tyr Pro Glu Leu Leu Lys Asp Gly Cys His Trp Arg Phe Asp 185 Trp Phe Glu Asn Ala Asp Asn Pro Asp Phe Thr Phe Glu Gln Val Gln Cys Pro Lys Ala Leu Leu Asp Ile Ser Gly Cys Lys Arg Asp Asp Asp Ser Ser Phe Pro Ala Phe Lys Val Asp Thr Ser Ala Ser Lys Pro Gln Pro Ser Ser Ala Lys Lys Thr Thr Ser Ala Ala Ala Ala Gln Pro Gln Lys Thr Lys Asp Ser Ala Pro Val Val Gln Lys Ser Ser Thr 265 Lys Pro Ala Ala Gln Pro Glu Pro Thr Lys Pro Ala Asp Lys Pro Gln Thr Asp Lys Pro Val Ala Thr Lys Pro Ala Ala Thr Lys Pro Val Gln 300 295 Pro Val Asn Lys Pro Lys Thr Thr Gln Lys Val Arg Gly Thr Lys Thr Arg Gly Ser Cys Pro Ala Lys Thr Asp Ala Thr Ala Lys Ala Ser Val Val Pro Ala Tyr Tyr Gln Cys Gly Gly Ser Lys Ser Ala Tyr Pro Asn Gly Asn Leu Ala Cys Ala Thr Gly Ser Lys Cys Val Lys Gln Asn Glu Tyr Tyr Ser Gln Cys Val Pro Asn 370 375

(2) INFORMATION FOR SEQ ID NO:5:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 27 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

AGCTGCGGCC GCAGGCCGCG GAGGCCA

- (2) INFORMATION FOR SEQ ID NO:6:
 - (i) SEQUENCE CHARACTERISTICS:

54

| | 54 | |
|-------|--|----|
| | (A) LENGTH: 27 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear | |
| | (ii) MOLECULE TYPE: DNA (genomic) | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6: | |
| AGC' | TTGGCCT CCGCGGCCTG CGGCCGC | 27 |
| . (2) | INFORMATION FOR SEQ ID NO:7: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 26 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (ii) MOLECULE TYPE: DNA (genomic) | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7: | |
| AAT | TCGCGGC CGCGGCCATG GAGGCC | 26 |
| (2) | INFORMATION FOR SEQ ID NO:8: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 26 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (ii) MOLECULE TYPE: DNA (genomic) | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8: | |
| TAA | TGGCCTC CATGGCCGCG GCCGCG | 26 |
| (2) | INFORMATION FOR SEQ ID NO:9: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 15 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (ii) MOLECULE TYPE: cDNA | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9: | |
| AAYO | GCYGACA AAYCC | 15 |
| (2) | INFORMATION FOR SEQ ID NO:10: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |



(ii) MOLECULE TYPE: cDNA

(1) GENERAL INFORMATION:

5

15

20

- (i) APPLICANT: NOVO NORDISK A/S, N N
- (ii) TITLE OF INVENTION: A Cellulase Preparation
- 10 (iii) NUMBER OF SEQUENCES: 4

(iv) CORRESPONDENCE ADDRESS:

- (A) ADDRESSEE: NOVO NORDISK A/S, Patent Department
- (B) STREET: Novo Alle
- (C) CITY: Bagsvaerd
- (E) COUNTRY: DENMARK
- (F) ZIP: DK-2880

(v) COMPUTER READABLE FORM:

- (A) MEDIUM TYPE: Floppy disk
- (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC/DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.25
- 25 (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER:
 - (B) FILING DATE: /
 - (C) CLASSIFICATION:
- 30 (viii) ATTORNEY/AGENT/INFORMATION:
 - (A) NAME: Thalsoe Madsen, Birgit
 - (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: +45 4444 8888
 - (B) TELEFAX: +45 4449 3256
 - (C) TEXEX: 37304
 - (2) INFORMATION FOR SEQ ID NO:1:

40

45

35

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGIH: 1060 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA

50 / (111)

(iii) HYPOIHETICAL: NO

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: Humicola insolens
- (B) STRAIN: DSM 1800

| (xr) | FEAT | URE: |
|------|------|------|
| | (A) | NAME |
| | (B) | LOCZ |

(A) NAME/KEY: mat_peptide (B) LOCATION: 73..927

5 (ix) FEATURE:

(A) NAME/KEY: sig_peptide

(B) LOCATION: 10..72

(ix) FEATURE:

10 (A) NAME/KEY: CDS

(B) LOCATION: 10..927

110

125

GAT CTC AAC ATC CCC GGC GGC GGC GTC GGC ATC TTC GAC GGA TGC ACT

Asp Leu Asn Ile Pro Gly Gly Gly Val Gly Ile Phe Asp Gly Cys Thr

130

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1: 15 GGATCCAAG ATG OGT TOO TOO COO CTC CTC COG TOO GOO GIT GTG GOO 48 Met Arg Ser Ser Pro Leu Leu Pro Ser Ala Val Val Ala -21 -20 20 GCC CTG CCG GTG TTG GCC CTT GCC GCT GAT GGC AGG TCC ACC CGC TAC 96 Ala Leu Pro Val Leu Ala Leu Ala Ala Asp Gly Arg Ser Thr Arg Tyr -5 TGG GAC TGC TGC AAG CCT TGG TGC GGC TGG GCC AAG AAG GCT CCC GTG 144 25 Trp Asp Cys Cys Lys Pro Ser Cys Gly Trp Ala Lys Lys Ala Pro Val 10 15 AAC CAG OCT GTC TTT TOO TGC AAC GOO AAC TTC CAG OGT ATC AOG GAC 192 Asn Gln Pro Val Phe Ser Cys Asn Ala Asn Phe Gln Arg Ile Thr Asp 30 25 30 35 TTC GAC GCC AAG TOC GGC TGC GAG COG GGC GGT GTC GCC TAC TGG 240 Phe Asp Ala Lys Ser Gly Cys Glu Pro Gly Gly Val Ala Tyr Ser Cys 50 -35 GCC GAC CAG ACC CCA TGG GCT GTG AAC GAC GAC TTC GCG CTC GGT TTT 288 Ala Asp Gln Thr Pro Trp Ala Val Asn Asp Asp Phe Ala Leu Gly Phe 40 GCT GCC ACC TCT ATT GCC GGC AGC AAT GAG GCG GGC TGG TGC TGC GCC 336 Ala Ala Thr Ser Ile Ala Gly Ser Asn Glu Ala Gly Trp Cys Cys Ala 75 TGC TAC GAG CIC ACC TIC ACA TCC GGT CCT GIT GCT GGC AAG AAG ATG 384 45 Cys Tyr Glu Leu Thr Phe Thr Ser Gly Pro Val Ala Gly Lys Lys Met 90 95 GTC GTC CAG TCC ACC AGC ACT GGC GGT GAT CTT GGC AGC AAC CAC TTC 432 Val Val Gln Ser Thr Ser Thr Gly Gly Asp Leu Gly Ser Asn His Phe

55

| | | | | GGC Gly 140 | | | | | | | | | | | | | 5 | 528 |
|----|------|------|------------|-------------------|-------------|-------|-------|------|------|-------|------|------|------|------|-------|-------|-----|-------------|
| 5 | | | | TGC Cys | | | | | | | | | | | | | 5 | 57 <i>6</i> |
| 10 | | | | GAC Asp | | Phe | | | | | | | | | | | | 524 |
| 15 | | | | CAG Gln | | | | | | | | | | | | | · 6 | 572 |
| 20 | | | | GAC Asp | | | | | | | | | | | | | 7 | '20 |
| 20 | | | | CCG Pro 220 | | | | | | | | | | | | | 7 | 68 |
| 25 | | | | TCG Ser | | | | | | | | | | | | | 8 | 16 |
| 30 | | | Glu | AGG Arg | | | | | | | | | | | | | 8 | 64 |
| 35 | | | | GTC Val | | | | | | | | | | | | | 9 | 12 |
| | | | TGC Cys | CIG Leu | TAGA 285 | \CCC2 | AGG (| CAGO | TTG/ | VG GG | CCTI | ACIO | GIO | GCCC | CAA | | ∴ 9 | 64 |
| 40 | CGA, | ATG | ACA C | TOO | YLAAL | CA CI | GIAI | TAGI | TCI | TGTA | CAT | TTAA | TCCI | CA I | .0001 | CCAGG | 10 | 24 |
| | GATI | GICA | CA 1 | נאאמ | GCAZ | T G | \GGAZ | CAAI | GAC | TAC | | | | | | | 10 | 60 |

(2) INFORMATION FOR SEQ ID NO:2:

| 1-1 2250 CT CTTTCTD I I 2 | (i) | SEQUENCE | CHARACTERISTICS: |
|---------------------------|-----|----------|------------------|
|---------------------------|-----|----------|------------------|

- (A) LENGIH: 305 amino acids
- (B) TYPE: amino acid
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

10 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met Arg Ser Ser Pro Leu Leu Pro Ser Ala Val Val Ala Ala Leu Pro
-21 -20 -15 -10

- 15 Val Leu Ala Leu Ala Ala Asp Gly Arg Ser Thr Arg Tyr Trp Asp Cys
 -5 1 5 10
 - Cys Lys Pro Ser Cys Gly Trp Ala Lys Lys Ala Pro Val Asn Gln Pro 15 20 25
 - Val Phe Ser Cys Asn Ala Asn Phe Gln Arg Ile Thr Asp Phe Asp Ala 30 35 40
- Lys Ser Gly Cys Glu Pro Gly Gly Val Ala Tyr Ser Cys Ala Asp Gln
 55
 - Thr Pro Trp Ala Val Asn Asp Asp Phe Ala Leu Gly Phe Ala Ala Thr
 60 65 70 75
- 30 Ser Ile Ala Gly Ser Asn Glu Ala Gly Trp Cys Cys Ala Cys Tyr Glu 80 85 90
 - Leu Thr Phe Thr Ser Gly Pro Val Ala Gly Lys Lys Met Val Val Gln
 95 100 105
 - Ser Thr Ser Thr Gly Gly Asp Leu Gly Ser Asn His Phe Asp Leu Asn 110 115 120
- Ile Pro Gly Gly Gly Val Gly Ile Phe Asp Gly Cys Thr Pro Gln Phe
 135
 - Gly Gly Leu Pro Gly Gln Arg Tyr Gly Gly Ile Ser Ser Arg Asn Glu 140 145 150 155
- 45 Cys Asp Arg Phe Pro Asp Ala Leu Lys Pro Gly Cys Tyr Trp Arg Phe 160 165 170
- Asp Trp Phe Lys Asn Ala Asp Asn Pro Ser Phe Ser Phe Arg Gln Val 175 180 185
 - Gln Cys Pro Ala Glu Ieu Val Ala Arg Thr Gly Cys Arg Arg Asn Asp 190 195 200
- Asp Gly Asn Phe Pro Ala Val Gln Ile Pro Ser Ser Ser Thr Ser Ser 55 205 210 . 215

- 5 Ser Ser Pro Pro Val Gln Pro Thr Thr Pro Ser Gly Cys Thr Ala Glu 240 245 250
- Arg Trp Ala Gln Cys Gly Gly Asn Gly Trp Ser Gly Cys Thr Thr Cys 255 260 265
 - Val Ala Gly Ser Thr Cys Thr Lys Ile Asn Asp Trp Tyr His Gln Cys 270 280

Leu

15

| | (2) INFORMATION FOR SEQ ID NO:3: | |
|----|--|-----|
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1473 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| , | (ii) MOLECULE TYPE: CDNA 10 (iii) HYPOIHETICAL: NO | |
| | | |
| | (iv) ANTI-SENSE: NO L5 (vi) ORIGINAL SOURCE: (A) ORGANISM: Fusarium oxysporum (B) STRAIN: DSM 2672 | • |
| 2 | (ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 971224 | |
| 2 | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3: | |
| | GAATTOGOGG COGCICATTC ACTTCATTCA TTCTTTAGAA TTACATACAC TCTCTTTCAA | 60 |
| 3 | AACAGICACT CITTAAACAA AACAACITTT GCAACA ATG CGA TCT TAC ACT CIT Met Arg Ser Tyr Thr Leu 1 5 | 114 |
| 35 | | 162 |
| ÷ | CAC TCT ACT CGA TAC TGG GAT TGC TGC AAG CCT TCT TGC TCT TGG AGC His Ser Thr Arg Tyr Trp Asp Cys Cys Lys Pro Ser Cys Ser Trp Ser 25 30 35 | 210 |
| 40 | GGA AAG GCT GCT GTC AAC GCC CCT GCT TTA ACT TGT GAT AAG AAC GAC Gly Lys Ala Ala Val Asn Ala Pro Ala Leu Thr Cys Asp Lys Asn Asp 40 45 50 | 258 |
| 45 | AAC CCC ATT TCC AAC ACC AAT GCT GTC AAC GGT TGT GAG GGT GGT GGT Asn Pro Ile Ser Asn Thr Asn Ala Val Asn Gly Cys Glu Gly Gly 65 70 | 306 |
| 50 | TCT GCT TAT GCT TGC ACC AAC TAC TCT CCC TGG GCT GTC AAC GAT GAG Ser Ala Tyr Ala Cys Thr Asn Tyr Ser Pro Trp Ala Val Asn Asp Glu 75 80 85 | 354 |
| 55 | CIT GCC TAC GGT TTC GCT GCT ACC AAG ATC TCC GGT GGC TCC GAG GCC Leu Ala Tyr Gly Phe Ala Ala Thr Lys Ile Ser Gly Gly Ser Glu Ala 90 95 100 | 402 |

| AGC TGG TGC TGT GCT TGC TAT GCT TTG ACC TTC ACC ACT GGC CCC GTC Ser Trp Cys Cys Ala Cys Tyr Ala Leu Thr Phe Thr Thr Gly Pro Val | 450 |
|--|----------|
| 5 AAG GGC AAG AAG ATG ATC GTC CAG TOC ACC AAC ACT GGA GGT GAT CTC Lys Gly Lys Lys Met Ile Val Gln Ser Thr Asn Thr Gly Gly Asp Leu 120 125 130 | ⁴ 498 |
| GGC GAC AAC CAC TTC GAT CTC ATG ATG CCC GGC GGT GGT GTC GGT ATC 10 Gly Asp Asn His Phe Asp Leu Met Met Pro Gly Gly Gly Val Gly Ile 135 140 145 | 546 |
| TTC GAC GGC TGC ACC TCT GAG TTC GGC AAG GCT CTC GGC GGT GCC CAG Phe Asp Gly Cys Thr Ser Glu Phe Gly Lys Ala Leu Gly Gly Ala Gln 15 160 165 | 594 |
| TAC GGC GGT ATC TCC TCC CGA AGC GAA TGT GAT AGC TAC CCC GAG CTT Tyr Gly Gly Ile Ser Ser Arg Ser Glu Cys Asp Ser Tyr Pro Glu Leu 170 175 180 CTC AAG GAC GGT TGC CAC TGG CGA TTC GAC TGG TTC GAG AAC GCC GAC | · 642 |
| 185 190 195 | 690 |
| 25 AAC CCT GAC TTC ACC TTT GAG CAG GTT CAG TGC CCC AAG GCT CTC CTC Asn Pro Asp Phe Thr Phe Glu Gln Val Gln Cys Pro Lys Ala Leu Leu 200 205 210 | 738 |
| GAC ATC AGT GGA TGC AAG CGT GAT GAC GAC TCC AGC TTC CCT GCC TTC 30 Asp Ile Ser Gly Cys Lys Arg Asp Asp Ser Ser Phe Pro Ala Phe 215 220 225 230 | 786 |
| AAG GTT GAT ACC TOG GCC AGC AAG CCC CAG CCC TCC AGC TCC GCT AAG Lys Val Asp Thr Ser Ala Ser Lys Pro Gln Pro Ser Ser Ser Ala Lys 235 240 245 | 834 |
| AAG ACC ACC TCC GCT GCT GCC GCT CAG CCC CAG AAG ACC AAG GAT Lys Thr Thr Ser Ala Ala Ala Ala Gln Pro Gln Lys Thr Lys Asp 250 255 260 | 882 |
| TCC GCT CCT GTT GTC CAG AAG TCC TCC ACC AAG CCT GCC GCT CAG CCC Ser Ala Pro Val Val Gln Lys Ser Ser Thr Lys Pro Ala Ala Gln Pro 265 270 275 | 930 |
| 45 GAG CCT ACT AAG CCC GCC GAC AAG CCC CAG ACC GAC AAG CCT GTC GCC Glu Pro Thr Lys Pro Ala Asp Lys Pro Gln Thr Asp Lys Pro Val Ala 280 285 290 | 978 |
| ACC AAG CCT GCT ACC AAG CCC GTC CAA CCT GTC AAC AAG CCC AAG 50 Thr Lys Pro Ala Ala Thr Lys Pro Val Gln Pro Val Asn Lys Pro Lys 295 300 305 310 | 1026 |
| ACA ACC CAG AAG GTC CGT GGA ACC AAA ACC CGA GGA AGC TGC CCG GCC Thr Thr Gln Lys Val Arg Gly Thr Lys Thr Arg Gly Ser Cys Pro Ala 315 320 325 | 1074 |

| | AAC Lys | ACT Thr | GAC Asp | GCT Ala 330 | ACC Thr | GCC Ala | AAG Lys | GCC Ala | TCC Ser 335 | vai | GTC Val | CCT Pro | GCT Ala | TAT Tyr 340 | TAC Tyr | CAG Gln | | 1122 |
|-----|-------------------|-------------------|-------------------|-------------------|------------|------------|-------------------|-------------------|-------------------|------------|------------|--|-------------------|-------------------|------------|------------|---|--------|
| 5 | TGI Cys | Gly Gly | GGT Gly 345 | TCC Ser | AAG Lys | TCC Ser | GCT Ala | TAT Tyr 350 | ccc Pro | AAC Asn | GGC Gly | AAC Asn | CTC Leu 355 | GCT Ala | TGC Cys | GCT Ala | | 1170 |
| 10 | ACT Thr | GGA Gly 360 | AGC Ser | AAG Lys | TGT Cys | • • • • | AAG Lys 365 | CAG Gln | AAC Asn | GAG Glu | TÀL | TAC Tyr 370 | TCC Ser | CAG Gln | TGT Cys | GIC Val | ; | 1218 |
| 15 | CCC Pro 375 | AAC Asn | TAAA | TGGT | AG A | TCCA | TCCC | T TG | TGGA ~ | AGAG | ACT: | ATGO | GIC ! | ICAG | AAGG | GΑ | | 1274 |
| | TCCI | CICA' | IG A | GCAG | CIT | G TO | ATTG: | CATA | GCA | TGGCZ | ATC (| TIGGZ | ACCAZ | AG TY | ككست | ACCC | | 7.22.4 |
| 20. | TTGI | TGTA | CA TIV | GTA | LATC | r TC | VIIGI | ATA | TATT | TAGZ | ACA C | ······································ | מידאכ | - | ~~~ | TCAG | | 1334 |
| 20 | OGAC | YIDAA | G CI | LACA? | AAGA | CIT | GGCA | ינכנה | بخاليان | ת גיייי | | | | ~ C1 | 110 | CATA | - | 1394 |
| | | ΑΑΑΑ | | | | · | | ~~~ | 1161 | . TCAA | TA T | 'IGAC | 'ACAG | T TI | CCIC | CATA | | 1454 |
| | | | -+ <u>.</u> | *XXXX | KANAY. | | | | | | | | | | | | 3 | 473 |

| - | | |
|------|--|----|
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10: | |
| AAC | GAYGAYG GNAAYTTCCC | 20 |
| (2) | INFORMATION FOR SEQ ID NO:11: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (ii) MOLECULE TYPE: cDNA | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:11: | |
| AAYO | SAYTGGT ACCAYCARTG | 20 |
| (2) | INFORMATION FOR SEQ ID NO:12: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 26 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (ii) MOLECULE TYPE: cDNA | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12: | |
| GCGC | CCAGTAG CAGCCGGGCT TGAGGG | 26 |
| (2) | INFORMATION FOR SEQ ID NO:13: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 28 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (ii) MOLECULE TYPE: cDNA | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:13: | |
| ACGT | CTCAAC TCGGATCCAA GATGCGTT | 28 |
| (2) | INFORMATION FOR SEQ ID NO:14: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 25 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (ii) MOLECULE TYPE: cDNA | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14: | |
| CTCA | ACTCTG ATCAAGATGC GTTCC | 25 |
| (2) | INFORMATION FOR SEQ ID NO:15: | |



| | 56. | |
|-------|--|----|
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 26 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (ii) MOLECULE TYPE: cDNA | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:15: | |
| TGTC | GACCAG TAAGGCCCTC AAGCTG | 26 |
| (2) | INFORMATION FOR SEQ ID NO:16: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (ii) MOLECULE TYPE: RNA (genomic) | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:16: | |
| GACA | GAGCAC AGAATTCACT AGTGAGCTCT | 30 |
| (2) | INFORMATION FOR SEQ ID NO:17: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 17 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (ii) MOLECULE TYPE: cDNA | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:17: | |
| TGGG | AYTGYT GYAARCC | 17 |
| (2) | INFORMATION FOR SEQ ID NO:18: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 33 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (ii) MOLECULE TYPE: cDNA | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:18: | |
| AGGGA | AGACCG GAATTCTGGG AYTGYTGYAA RCC | 33 |
| (2) | INFORMATION FOR SEQ ID NO:19: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 17 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |

(ii) MOLECULE TYPE: cDNA



| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:19: | |
|------|---|----|
| CCN | GGNGGNG GNGTNGG | 17 |
| (2) | INFORMATION FOR SEQ ID NO:20: | |
| (2) | | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 33 base pairs | |
| | (B) TYPE: nucleic acid (C) STRANDEDNESS: single | |
| | (D) TOPOLOGY: linear | |
| | (ii) MOLECULE TYPE: cDNA | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:20: | |
| AGGC | GAGACCG GAATTCCCNG GNGGNGGNGT NGG | 33 |
| (2) | INFORMATION FOR SEQ ID NO:21: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 17 base pairs | |
| | (B) TYPE: nucleic acid (C) STRANDEDNESS: single | |
| | (D) TOPOLOGY: linear | |
| | (ii) MOLECULE TYPE: cDNA | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:21: | |
| ACNA | AYCATNK TYTTNCC | 17 |
| (2) | INFORMATION FOR SEQ ID NO:22: | |
| | (i) SEQUENCE CHARACTERISTICS: | |
| | (A) LENGTH: 34 base pairs (B) TYPE: nucleic acid | |
| | (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (ii) MOLECULE TYPE: cDNA | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:22: | |
| GACA | AGAGCAC AGAATTCACN AYCATNKTYT TNCC | 34 |
| (2) | INFORMATION FOR SEQ ID NO:23: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 24 base pairs | |
| | (B) TYPE: nucleic acid | |
| | (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (ii) MOLECULE TYPE: cDNA | |
| | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:23: | |
| NGGR | RTTRTCN GCNKYYTYRA ACCA | 24 |
| | | |
| (2) | INFORMATION FOR SEQ ID NO:24: | |



| | (i) | SEQUENCE CHARACTERISTICS: (A) LENGTH: 41 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
|------|--------|--|----|
| | (ii) | MOLECULE TYPE: cDNA | |
| | (xi) | SEQUENCE DESCRIPTION: SEQ ID NO:24: | |
| GAC. | AGAGC. | AC AGAATTCNGG RTTRTCNGCN KYYTYRAACC A | 41 |
| (2) | INFO | RMATION FOR SEQ ID NO:25: | |
| | (i) | SEQUENCE CHARACTERISTICS: (A) LENGTH: 42 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (ii) | MOLECULE TYPE: cDNA | |
| | (xi) | SEQUENCE DESCRIPTION: SEQ ID NO:25: | |
| GGG | GTAGC' | TA TCACATTCGC TTCGGGAGGA GATACCGCCG TA | 42 |
| (2) | INFO | RMATION FOR SEQ ID NO:26: | |
| | (i) | SEQUENCE CHARACTERISTICS: (A) LENGTH: 42 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (ii) | MOLECULE TYPE: cDNA | |
| | (xi) | SEQUENCE DESCRIPTION: SEQ ID NO:26: | |
| CTT | CTTGC' | TC TTGGAGCGGA AAGGCTGCTG TCAACGCCCC TG | 42 |
| (2) | INFO | RMATION FOR SEQ ID NO:27: | |
| | (i) | SEQUENCE CHARACTERISTICS: (A) LENGTH: 18 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| | (ii) | MOLECULE TYPE: cDNA | |
| | (xi) | SEQUENCE DESCRIPTION: SEQ ID NO:27: | |
| TGT | ACGCA | rg taacatta | 18 |
| (2) | INFO | RMATION FOR SEQ ID NO:28: | |
| | (i) | SEQUENCE CHARACTERISTICS: (A) LENGTH: 18 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |

(ii) MOLECULE TYPE: cDNA



| 1 | (xi) SEQUENCE DESCRIPTION: SEQ ID NO:28: | |
|-------|--|----|
| CTGC | ACAATA TTTCAAGC | 18 |
| (2) | INFORMATION FOR SEQ ID NO:29: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 42 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (| (ii) MOLECULE TYPE: cDNA | |
| (| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:29: | |
| GGGGT | TAGCTA TCACATTCGC TTCGGGAGGA GATACCGCCG TA | 42 |
| (2)] | INFORMATION FOR SEQ ID NO:30: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 42 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (| (ii) MOLECULE TYPE: cDNA | |
| (| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:30: | |
| CTTCT | TTGCTC TTGGAGCGGA AAGGCTGCTG TCAACGCCCC TG | 42 |
| (2) I | INFORMATION FOR SEQ ID NO:31: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 18 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (| (ii) MOLECULE TYPE: cDNA | |
| (| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:31: | |
| AGCTT | PCTCAA GGACGGTT | 18 |
| (2) I | INFORMATION FOR SEQ ID NO:32: | |
| | (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 18 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (| (ii) MOLECULE TYPE: cDNA | |
| (| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:32: | |
| AACAA | AGGGTC GAACACTT | 18 |
| (2) I | INFORMATION FOR SEQ ID NO:33: | |

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 17 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

CCAGAAGACC AAGGATT

| - | 4 | |
|---|---|--|
| | | |
| | | |

| 2) | INFORMATION | FOR | SEQ | ID | NO:4: | |
|----|-------------|-----|-----|----|-------|--|
| _, | | | - | | | |

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGIH: 376 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

10

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:
- Met Arg Ser Tyr Thr Leu Leu Ala Leu Ala Gly Pro Leu Ala Val Ser 1 5 10 15
- Ala Ala Ser Gly Ser Gly His Ser Thr Arg Tyr Trp Asp Cys Cys Lys
 20 25 30
- Pro Ser Cys Ser Trp Ser Gly Lys Ala Ala Val Asn Ala Pro Ala Leu 20 35 40 45
 - Thr Cys Asp Lys Asn Asp Asn Pro Ile Ser Asn Thr Asn Ala Val Asn 50 60
- 25 Gly Cys Glu Gly Gly Ser Ala Tyr Ala Cys Thr Asn Tyr Ser Pro 65 70 75 80
 - Trp Ala Val Asn Asp Glu Leu Ala Tyr Gly Phe Ala Ala Thr Lys Ile 85 90 95
- Ser Gly Gly Ser Glu Ala Ser Trp Cys Cys Ala Cys Tyr Ala Leu Thr 100 105 110
- Phe Thr Thr Gly Pro Val Lys Gly Lys Lys Met Ile Val Gln Ser Thr 35 115 120 125
 - Asn Thr Gly Gly Asp Leu Gly Asp Asn His Phe Asp Leu Met Met Pro 130 135 140
- 40 Gly Gly Val Gly Ile Phe Asp Gly Cys Thr Ser Glu Phe Gly Lys 145 150 155 160
 - Ala Leu Gly Gly Ala Gln Tyr Gly Gly Ile Ser Ser Arg Ser Glu Cys
 165 170 175
- 45
 Asp Ser Tyr Pro Glu Leu Leu Lys Asp Gly Cys His Trp Arg Phe Asp
 180
 185
 190
- Trp Phe Glu Asn Ala Asp Asn Pro Asp Phe Thr Phe Glu Gln Val Gln 50 195 200 205
 - Cys Pro Lys Ala Leu Leu Asp Ile Ser Gly Cys Lys Arg Asp Asp Asp 210 215 220
- 55 Ser Ser Phe Pro Ala Phe Lys Val Asp Thr Ser Ala Ser Lys Pro Gln 225 230 235 240

Pro Ser Ser Ser Ala Lys Lys Thr Thr Ser Ala Ala Ala Ala Gln 245 250 255

5 Pro Gln Lys Thr Lys Asp Ser Ala Pro Val Val Gln Lys Ser Ser Thr 260 265 270

Lys Pro Ala Ala Gln Pro Glu Pro Thr Lys Pro Ala Asp Lys Pro Gln
275 280 285

Thr Asp Lys Pro Val Ala Thr Lys Pro Ala Ala Thr Lys Pro Val Gln
290 295 300

Pro Val Asn Lys Pro Lys Thr Thr Gln Lys Val Arg Gly Thr Lys Thr 15 305 310 315 320

Arg Gly Ser Cys Pro Ala Lys Thr Asp Ala Thr Ala Lys Ala Ser Val

20 Val Pro Ala Tyr Tyr Gln Cys Gly Gly Ser Lys Ser Ala Tyr Pro Asn 340 345 350

Gly Asn leu Ala Cys Ala Thr Gly Ser Lys Cys Val Lys Gln Asn Glu 355 360 365

Tyr Tyr Ser Gln Cys Val Pro Asn 370